



INSURANCE AGENCY, INC.
 PRIMARY / EXCESS AND SURPLUS LINES BROKERS
 Ten Granite Street Suite 2
 Quincy, MA 02169
 617. 471.7171 Fax: 617.471.7180
 www.xsbrokers.com

SUPPLEMENTAL BUILDERS RISK RENOVATION APPLICATION
 REMODEL/ RENOVATION / REHABILITATION

*** THIS SUPPLEMENTAL APPLICATION MUST BE ATTACHED TO THE ACORD GENERAL APPLICANT INFORMATION APPLICATION – ACORD 125***

INSURED INFORMATION:

NAMED INSURED: _____

DBA: _____

INSURED IS: OWNER CONTRACTOR

OF YEARS IN BUSINESS: _____

NAME OF CONTRACTOR: _____
 (IF DIFFERENT FROM NAMED INSURED)

CONTRACTOR MAILING ADDRESS: _____

LOSS HISTORY / 5 YEARS _____

ESTIMATED START DATE OF PROJECT: _____ ESTIMATED COMPLETION DATE OF PROJECT: _____

ESTIMATED TERM OF PROJECT: _____ MONTHS CURRENTLY UNDER RENOVATION? YES NO

IF YES – ORIGINAL START DATE: _____
 (IF YES TO PRIOR START ATTACH PRIOR START QUESTIONNAIRE REQUIRED)

LIMITS OF LIABILITY:

EXISTING STRUCTURE (IF APPLICABLE): \$ _____ TEMPORARY STORAGE: \$ _____

RENOVATION VALUES(S): \$ _____ TRANSIT: \$ _____

NEW ADDITION VALUE (IF APPLICABLE): \$ _____ TOTAL INSURED VALUES: \$ _____

OPTIONAL COVERAGES: (MUST BE CHECKED)

WINDSTORM: IS PROJECT LOCATION ELIGIBLE FOR COVERAGE IN A WIND POOL? YES NO

IF YES – MAXIMUM LIMIT AVAILABLE IN WIND POOL? \$ _____

EARTH MOVEMENT: ISO EQ ZONE: 1 2 3 4 5

FLOOD: FEMA FLOOD ZONE: A B C X V

IF ZONE A OR V: 100 YEAR BASE FLOOD ELEVATION? _____ ELEVATION OF FIRST FINISHED FLOOR? _____

SOFTS COSTS: \$ _____ (MUST ATTACH COMPLETE BREAKDOWN) LOSS OF RENTS: \$ _____

LOSS OF EARNINGS: \$ _____

DEDUCTIBLES: AOP Deductible (Catastrophe Peril Deductible will be determined by the Company)

\$ 500 (RESIDENTIAL ONLY) \$ 1,000 \$ 2,500 \$ 5,000 OTHER \$ _____

PROJECT INFORMATION:

LOCATION ADDRESS:

STREET ADDRESS

CITY

COUNTY

ST

ZIP

PROJECT TYPE:

RESIDENTIAL:

SINGLE FAMILY

TWO FAMILY

COMMERCIAL:

REMODEL:

REMODEL OF INTERIOR FINISHES / REPLACEMENT OF INTERIOR FIXTURES, CABINETS, FLOORING, ETC.

REMODEL / MINOR STRUCTURAL:

REMODEL OF INTERIOR FINISHES AND MINOR CHANGES TO EXTERIOR (DOORS / WINDOWS / EXTERIOR PAINTING) INCLUDING ALL NONSTRUCTURAL CHANGES (HVAC/PLUMBING/ELECTRICAL)

RESTORATION / MAJOR RESTRUCTURING:

REPAIR / REPLACE / REMOVE LOAD BEARING WALLS / ADD ADDITIONAL STORIES / ADD STAIRWAYS OR ELEVATORS
(IF STRUCTURAL CHANGES BEING MADE THE FOLLOWING ARE REQUIRED:
1. LETTER FROM ENGINEER THAT THE SITE HAS BEEN VISITED AND THE EXISTING BUILDING IS STRUCTURALLY SOUND AND ABLE TO ACCEPT THE STRUCTURAL CHANGES PROPOSED.
2. LETTER FROM THE ENGINEER REGARDING A COMPLETE DESCRIPTION OF THE STRUCTURAL CHANGES TO BE MADE
3. LETTER FROM THE CONTRACTOR THAT THE ENGINEER'S SPECIFICATIONS WILL BE FOLLOWED INCLUDING CONTROLS IN PLACE TO PREVENT COLLAPSE

NEW ADDITION WITH SOME REMODEL:

ADDITION OF SPACE WITH REMODEL / RENOVATION FOR TIE IN PURPOSES ONLY AND INTERIOR REMODEL AS SHOWN ABOVE

COMPLETE DESCRIPTION OF RENOVATIONS:

PUBLIC PROTECTION CLASS:

CITY LIMITS:

INSIDE

OUTSIDE

DISTANCE TO NEAREST WORKING PUBLIC FIRE HYDRANT:

DISTANCE TO NEAREST RESPONDING FIRE DEPARTMENT:

DISTANCE FROM COASTAL WATERS:

FEET

MILES

TOTAL SQ. FT. AREA:

OF STORIES:

OF BUILDINGS:

APPROXIMATE DISTANCE BETWEEN BUILDINGS:

INTENDED OCCUPANCY:

PREVIOUS OCCUPANCY:

OCCUPIED DURING RENOVATIONS?

YES

NO

CONSTRUCTION TYPE:

FRAME

(CHECK ONE)

WALLS ARE CONSTRUCTED OF WOOD OR OTHER COMBUSTIBLE MATERIALS, INCLUDING WHEN COMBINED WITH OTHER MATERIALS SUCH AS BRICK VENEER, STONE VENEER, WOOD IRONCLAD OR STUCCO ON WOOD

MASONRY JOIST

WALLS ARE CONSTRUCTED OF MASONRY MATERIALS SUCH AS CLAY, ADOBE, BRICK, GYPSUM BLOCK, CINDER BLOCK, HOLLOW CONCRETE BLOCK, STONE, TILE, GLASS BLOCK OR OTHER SIMILAR MATERIAL AND WHERE THE FLOORS AND/OR ROOF ARE COMBUSTIBLE

NONCOMBUSTIBLE

WALLS / FLOORS / ROOF ARE CONSTRUCTED OF AND SUPPORTED BY METAL, ASBESTOS, GYPSUM OR OTHER NON-COMBUSTIBLE MATERIAL

MASONRY NONCOMBUSTIBLE

WALLS ARE CONSTRUCTED OF MASONRY MATERIALS OF THE TYPE DESCRIBED IN MASONRY JOIST ABOVE BUT WITH A FLOOR AND ROOF CONSTRUCTED OF METAL OR OTHER NON-COMBUSTIBLE MATERIAL

FIRE RESISTIVE

WALLS / FLOORS / ROOF ARE CONSTRUCTED OF FIRE RESISTIVE MATERIALS HAVING A RESISTANCE RATING OF NOT LESS THAN TWO (2) HOURS

REFERENCE TO WALLS MEANS THE STRUCTURAL FRAME AND SUPPORT WALLS. REFERENCE TO FLOORS MEANS THE FLOORS AND SUPPORTS. REFERENCE TO ROOF MEANS THE ROOF DECK AND SUPPORTS

EXISTING STRUCTURE INFORMATION:

YEAR BUILT:

CURRENT CONDITION OF STRUCTURE:

HISTORIC LANDMARK:

YES

NO

DATE PURCHASED: _____ PURCHASE PRICE: _____ DATE(S) REMODELED / RENOVATED: _____

PRIVATE PROTECTION: WILL THESE SYSTEMS BE OPERATIONAL DURING RENOVATION

AUTOMATIC SPRINKLER SYSTEM: YES NO BUGLAR ALARM SYSTEM: YES NO

SPRINKLER SYSTEM ALARMS: FENCING / LIGHTING:

WATCHMAN SERVICE: YES NO HOURS ON SITE?: _____

HAS STRUCTURE EVER SUSTAINED DAMAGE FROM WINDSTORM, EARTHQUAKE OR FIRE, ETC.?: YES NO

IF YES - DESCRIBE: _____

NEAREST EXPOSED STRUCTURE: _____ OCCUPANCY: _____ DISTANCE TO: _____ CONSTRUCTION TYPE: _____

ARE BUILDINGS TRANSFERRED TO PERMANENT COVERAGE ONCE COMPLETED? _____

IF YES TO ABOVE - PLEASE INDICATE MAXIMUM # OF BLDGS. UNDER CONSTRUCTION AT ANY ONE TIME AND THE CORRESPONDING VALUES: _____

LOSS CONTROL:

DEBRIS REMOVED FROM SITE AT REGULAR INTERVALS? YES NO FREQUENCY? _____

PUBLIC WATER SUPPLY IN SERVICE AT SITE? YES NO

BRUSH AREA? YES NO IF YES - CLEARANCE FROM SITE? _____

MISCELLANEOUS:

PROVIDE ANY ADDITIONAL INFORMATION AVAILABLE (WINDSPEED DESIGN, SPECIAL CONSTRUCTION FEATURES, MORTGAGE HOLDER, LOSS PAYEE, ETC.):
